

79 7294
21 October 1963


STATINTL

A Comparison of the [REDACTED] Roll Film Stereoviewers,
Models 387 and 552A *File*

	Navy Viewer, Model #387	New Viewer, Model #552A
(1) SIZE:	60"L x 41"W x 48"H	84"L x 44"W x 48"H
(2) FRAME:	Welded Box Girder with light-weight ways	One-Piece Casting with precision ground heavy-duty ways
(3) MAGNIFICATION:	5X-50X in two steps with overlapping zoom	1.5X - 135X in four steps with overlapping zoom
(4) RESOLUTION:	at 5X; 40 lines/mm at 50X; 400 lines/mm	at 5X; 40 lines/mm at 50X; 400 lines/mm at 135X; 600 lines/mm
(5) FIELD OF VIEW:	at 5X, 12°, .42 inches at 50X; 12°, .04 inches	at 1.5X; 36°, 4.2 inches at 5X; 36°, 1.25 inches at 50X; 36°, .12 inches at 135X; 36°, .05 inches
(6) OPTICAL ACCOMMODATIONS:	Independent Zoom 360° rotation	Independent Zoom 360° rotation Image Reversal Crossover Binocular Monoscopic Viewing
(7) SCANNING CONTROL:	Joystick actuated; no independent variation in direction or velocity	Joystick actuated; independent direction and velocity rates conformable to optical settings at each station.
(8) FILM HANDLING:	One roll only 70mm - 9 $\frac{1}{2}$ " x 500' Manually-operated transport automatic interstereo loop 0-16 feet glass pressure plate hold-down	One or two rolls 70mm - 9 $\frac{1}{2}$ " x 500' Manually-operated transport automatic interstereo loop 0-20 feet vacuum hold-down
(9) COST and SCHEDULE:	92 K delivery in 6 months	137 K delivery in 8 months

DECLASS REVIEW by NIMA/DOD


Approved For Release 2002/01/02 : CIA-RDP78B04747A002100090007-3



Navy Viewer, Model #387

Approved For Release 2002/01/02 : CIA-RDP78B04747A002100090007-3

STATINTL



Stereo Viewer

Peripheral Equipment to
Customer Requirement

MODEL 373
STEREO VIEWER

FOR INTERPRETATION AND MENSURATION